

Index

Subjects

- Acne
 effectiveness of topical tetracycline, benzoyl peroxide gel and oxytetracycline, 31
 treatment of the depressed and dysmorphic patient, 210
 personality and disability in students, 371
 hormonal profile of women, 420
- Acrokeratosis paraneoplastica, 291
- Acromegaly, 222
- Actinic dermatitis, 70
- Adnexal tumours, 18
 eccrine angiomatous hamartoma, 44
 malignant chondroid syringoma, 306
 malignant hidradenoma, 474
- Africa
 pyoderma gangrenosum and malignant pyoderma, 34
 chronic bullous dermatosis, 160
- Albinism, 436
- Alopecia
 treatment of alopecia totalis, 172
 increased HLA-DR T-lymphocyte population in peripheral blood and alopecia areata, 176
 male pattern baldness, 188
 dysplastic dystrophic anagen hair root condition, 273
- Angina bullosa
 haemorrhagica, 244
- Angioblastoma, 110
- Apthous stomatitis, 235
- Atopic dermatitis, 348
- Atrophy
 corticosteroid induced dermal atrophy, 416
- Azoles, 168, 374
- Basal cell epithelioma
 complicating a port wine stain, 63
 BCC of the breast, 447
- Bleomycin
 induced flagellate erythema, 216
- Bowen's disease, 478
- Bullous diseases
 of childhood, 41
 dermatitis herpetiformis, 51, 458
 pemphigoid, 68
 split skin grafting and bullous pemphigoid, 72
 bullous eruption of SLE, 133
 chronic bullous dermatosis, 160
 pemphigus foliaceus, 229
 pemphigus vulgaris, 359
 bullous pemphigoid occurring in psoriatic plaques, 389
 cicatricial pemphigoid, 395
- Chondroid syringoma, 306
- Chylous reflux, 124
- Cirrhosis of the liver, 279
- Cleft lip, 49
- Collagen, 324
- Complement, 424
- Contact dermatitis
 contact urticaria due to common stinging nettle, 1
 chronic actinic dermatitis, 70
 studies of the human immune response, 79
 in leg ulcer patients, 250
- Corticosteroid
 induced dermal atrophy, 416
- Coxsackie virus, 127
- Cryotherapy, 433
- Cutaneous ageing, 315
- Cyclosporin
 long-term treatment of psoriasis, 8
 steroid-resistant bullous pemphigoid, 68
 treatment of pyoderma gangrenosum, 392
- Dapsone, 441
- Dermatitis herpetiformis, 51
 associated with ulcerative colitis 458
- Dermatology in the year 2000, 399
- Diabetes
 diabetic foot ulceration, 193
- Digital fibromatosis
 pachydermodactyly, 121
- Digital ischaemia, 202
- Dyschromatosis universalis
 with X-linked ocular albinism 436
- Eccrine angiomatous hamartoma, 44
- Eczema
 halo eczema, 66
 nocturnal scratching, 268
 ethnic differences, 348
- Epidermolytic keratoderma, 383
- Erythema elevatum diutinum
 unusual association with ulcerative colitis, 204
- Erythromelalgia, 46

- Ethnic background
eczema, 348
Etoposide, 292, 463, 467
- Fibrous papulosis, 224
Finger tip unit, 444
Folliculitis
tufted hair, 199
- Genetics
phenotypic heterogenicity of bullous ichthyosis, 25
incontinentia pigmenti and cleft lip, 49
dermatitis herpetiformis in monozygous twins, 51
melanocytic naevi in an immunosuppressed twin, 131
familial acquired pigmented streaks in nails, 158
trichothiodystrophy, 264
familial blue naevi, 308
hereditary epidermolytic palmoplantar keratoderma, 383
dyschromatosis universalis, 436
Goltz syndrome, 283
Granuloma annulare, 129, 218
- Haemangiomas, 407
Hair roots, 273
Halo eczema, 66
Harvest mites, 277
Heart valves, 38
Herpes simplex, 407
Hidradenoma, 474
Hidrocystadenoma, 18
- Ichthyosis
bullous ichthyosis, 25
- Immunology
human immune response, 79
increased HLA-DR T-lymphocytes population in peripheral blood and alopecia areata, 176
seborrhoeic dermatitis, 331
antibodies against *Pityrosporum ovale* in patients, 339
- Immunopathology
lipoid proteinosis, 350
eruptive haemangiomas, 411
- Incontinentia pigmenti, 49
Itching, 268
- Kaposi's sarcoma, 441
Keratoacanthoma, 58
- Leg ulcers
in hereditary spherocytosis, 28
ulceronecrotic lesions, 53
diabetic foot ulceration, 193
contact dermatitis, 250
- Leukaemia cutis
in hairy-cell leukaemia, 207
- Lichen sclerosus et atrophicus, 14
Lipoid proteinosis, 350
Livedo reticularis, 367
Lupus miliaris, 295
Lymphangiectasia, 124
Lymphoma, 202
- Malignant melanomas, 344
Mastocytosis, 455
Melanocytic hyperplasia, 451
Melanoma
associated with vitiligo, 303
lentigo maligna, 433
associated with systemic mastocytosis, 455
- Minocycline
induced pigmentation, 55
- Monilethrix
treated with oral retinoids, 226
- Mycology
fluconazole and ketoconazole in human stratum corneum, 168
seborrhoeic dermatitis, 331
Pityrosporum ovale, 339
itraconazole and onychomycosis, 374
- Naevi
organoid naevi, 58
halo eczema, 66
excess numbers of melanocytic naevi, 131
multiple blue naevi, 308
- Nail dystrophy, 158
onychoheterotopia, 285
pigmented nail, 451
yellow nail syndrome, 471
- Necrobiosis, 287
Neurilemmomas, 247
Notalgia paraesthetica, 197
- Oesophageal webs, 395
Onychoheterotopia, 285
Osteochondroma, 283
Oxalosis, 367
- Pachydermodactyly, 121
- Langerhans cell histiocytosis, 212, 292, 377, 463, 467

- Pemphigoid, 68, 72, 389, 395
 Pemphigus, 229, 359
 Personality, 371
 Photometry, 258
 Pityriasis rubra pilaris, 181
 Plants, 1
 Porokeratosis, 460
 Porokeratosis of Mibelli, 61
 Polycystic ovaries, 420
 Port wine stain, 63
 Porphyria, 185, 254, 355
 Protein biosynthesis, 90, 98, 324
 Proteoglycan, 22
 Psoralen, 165
 Psoriasis
 long-term treatment with cyclosporin A, 8
 alteration of cartilagenous proteoglycan, 22
 therapy and risk of skin cancer, 85
 effect of PUVA therapy, 98
 psychology, 114
 8-methoxypsoralen therapy, 165
 acromegaly, 222
 effect of UVB and tar therapy, 364
 bullous pemphigoid occurring in psoriatic plaques, 389
 Puva, 98

 Retinoids
 isotretinoin and lung function, 11
 monilethrix treated with oral retinoids, 226
 basal cell carcinoma of the breast, 447

 Sarcoidosis, 287
 Scar
 oral mucosal scarring, 44
 Bowen's disease arising in, 478
 Scur, 139
 Seborrhoeic dermatitis, 331, 339
 Sebum, 258
 Seven point checklist, 344
 Spherocytosis, 28
 Squamous cell carcinoma, 90, 460
 Stellate cell tumour, 428
 Steroid inhalers, 244
 Sunscreen
 allergy, 70
 Systemic sclerosis, 11, 324
 Systemic lupus erythematosus, 133

 Sweet's syndrome, 279

 Talar callosity, 118
 Tetracyclines, 31
 Therapy
 treatment of psoriasis with cyclosporin A, 8
 comparison of tetracycline, benzoyl peroxide gel and
 oxytetracycline in acne, 31
 minocycline-induced pigmentation, 55
 drug regimens in skin tuberculosis, 106
 8-methoxypsoralen, 165
 treatment of alopecia totalis, 172
 notalgia paraesthetica, 197
 treatment of the depressed and dysmorphic acne
 patient, 210
 bleomycin-induced flagellate erythema, 216
 aphthous stomatitis, 235
 etoposide, 292
 UVB and tar therapy, 364
 treatment of pyoderma gangrenosum with cyclosporin
 A, 392
 finger tip unit, 444
 Langerhans cell histiocytosis and response to etopo-
 side, 463, 467
 Thrombocythaemia, 53
 Trichothiodystrophy, 264
 Tuberculosis, 106, 300
 Tufted angioma, 110

 Ulcerative colitis, 204, 458
 Ultrastructure, 359
 Uroporphyrin, 254
 Urticaria
 due to common stinging nettle, 1
 immediate pressure urticaria, 155
 Urticarial vasculitis, 424
 UVB, 364

 Viral infections, 127, 407
 Vitiligo, 303

 Xanthoma, 38

 Yellow nail syndrome, 471

Authors

- ABOUBAKER, J., WOJNAROWSKA, F.T., BHOGAL, B. and BLACK, M.M. Chronic bullous dermatosis of childhood—clinical and immunological features seen in African patients, 160
- ABRAHAMSON, E.L. *see* GOODYEAR, H.M.
- ADJAROV, D. and KERIMOVA, M. Effective control of patients with porphyria cutanea tarda by measuring plasma uroporphyrin, 254
- AI YOUNG LEE *see* KWANG HYUN CHO
- ALLES, J.U. *see* WEYERS, W.
- AMON, E.U. *see* OLIVER, F.
- ANSTEY, A., WILKINSON, J.D. and WALSH, M.M. Dermatitis herpetiformis in monozygous twins—concordance for dermatitis herpetiformis and gluten-sensitive enteropathy, 51
- AOKI, K. and HATABA, Y. A case of congenital onychotrichotopia on both fifth fingers, 285
- AOKI, T., KUSHIMOTO, J., HISHIKAWA, Y. and SAVIN, J.A. Nocturnal scratching and its relationship to the disturbed sleep of itchy subjects, 268
- ARMSTRONG, L.M. *see* EDWARDS, S.
- ARONSON, I. *see* LAWRENCE, P.
- ASADA, K. *see* YUTANI, Y.
- ASHERSON, R.A., BUCHANAN, N., KENWRIGHT, S., FLETCHER, C.M. and HUGHES, G.R.V. The normo-complementemic urticarial vasculitis syndrome—report of a case and response to colchicine, 424
- AUTIO, P. *see* OIKARINEN, A.
- BANG SOON KIM *see* KWANG HYUN CHO
- BARKER, J.N.W.N. *see* MCGREGOR, J.M.
- BASEY, A.J. *see* NORRIS, J.F.B.
- BEER, W.E. *see* JONES, R.
- BENCINI, P.L. *see* BETTI, R.
- BENGTSOON, K. *see* BERGBRANT, I.-M.
- BERGBRANT, I.-M., JOHANSSON, S., ROBBINS, D., BENGTSOON, K., FAERGEMANN, J., SCHEYNIUS, A. and SÖDERSTRÖM, T. The evaluation of various methods and antigens for the detection of antibodies against *Pityrosporum ovale* in patients with seborrhoeic dermatitis, 339
- BERGBRANT, I.-M., JOHANSSON, S., ROBBINS, D., SCHEYNIUS, A., FAERGEMANN, J. and SÖDERSTRÖM, T. An immunological study in patients with seborrhoeic dermatitis, 331
- BERTH-JONES, J., GRAHAM-BROWN, R.A.C. and BURNS, D.A. Lichen sclerosus et atrophicus—a review of 15 cases in young girls, 14
- BERTH-JONES, J. and HUTCHINSON, P.E. Treatment of alopecia totalis with a combination of inosine pranobex and diphencyprone compared to each treatment alone, 172
- BERTH-JONES, J. *see* SLADDEN, M.J.
- BETTI, R., ROSTI, A., LOOI, A., BENCINI, P.L., PAPARELLI, S., GAZZOLA, G.B., CORI, P., MORONI, G.A. and CROSTI, C. Effect of UVB plus tar therapy on serum levels of interleukin-2 receptors in patients with psoriasis, 364
- BEVERIDGE, G.W. *see* COLVER, G.B.
- BHOGAL, B. *see* ABOUBAKER, J.
- BIDDLESTONE, L.R., MCLAREN, K.M. and TIDMAN, M.J. Malignant hidradenoma—a case report demonstrating insidious histological and clinical progression, 474
- BILSLAND, D., SHAHRIARI, S., DOUGLAS, W.S., CHAUDHURI, A.K.R. and TODD, W.T.A. Transient leukaemia cutis in hairy-cell leukaemia, 207
- BILSLAND, D.J. *see* DOUGLAS, W.S.
- BIRKIN, J.A., FRY, J.R. and MILLARD, L.G. The effect of PUVA therapy on glycoprotein biosynthesis in uninvolved psoriatic epidermis, 98
- BIRKIN, J.A., LOWE, J.S., FRY, J.R. and MILLARD, L.G. A comparison of glycoprotein biosynthesis in benign and malignant squamous epithelioma and normal epidermis, 90
- BLACK, M. *see* MCGRATH, J.
- BLACK, M.M. *see* ABOUBAKER, J.
- BLACK, M.M. *see* NEWTON, J.A.
- BLACKFORD, S. and ROBERTS, D.L. Familial multiple blue naevi, 308
- BLOXHAM, C.A. *see* COX, N.H.
- BOEZEMAN, J. *see* MALI-GERRITS, M.G.H.
- BOREL, J.-P. *see* GILLERY, P.
- BRAVO, J. *see* VELASCO, J.A.
- BREATHNACH, A. *see* OLIVER, F.
- BRETT, J.V. *see* DU VIVIER, A.W.P.
- BROWN, T. *see* WHITE, M.I.
- BUAHENE, K., HUDSON, M., MOWAT, A., SMART, L. and ORMEROD, A.D. Erythema elevatum diutinum—an unusual association with ulcerative colitis, 204
- BUCHANAN, N. *see* ASHERSON, R.A.
- BUNKER, C.B., MAURICE, P.D.L., LITTLE, S., JOHNSON, N.M. and DOWD, P.M. Isotretinoin and lung function in systemic sclerosis, 11
- BUNKER, C.B., NEWTON, J.A., CONWAY, G.S., JACOBS, H.S., GREAVES, M.W. and DOWD, P.M. The hormonal profile of women with acne and polycystic ovaries, 420
- BURGE, S., SCHOMBERG, K. and WOJNAROWSKA, F. Bullous eruption of SLE—a case report and investigation of the relationship of anti-basement-membrane-zone antibodies to blistering, 133
- BURNS, D.A. *see* BERTH-JONES, J.
- BURNS, D.A. *see* HEALSMITH, M.F.
- BURROWS, D. *see* EEDY, D.J.

- BURROWS, N.P. and RUSSELL JONES, R. Yellow nail syndrome in association with carcinoma of the gall bladder, 471
- CAMBAZARD, F., DEZUTTER-DAMBUYANT, C., STAQUET, M.J., SCHMITT, D. and THIVOLET, J. Eosinophilic granuloma of bone and biochemical demonstration of 49-kDa CD1a molecule expression by Langerhans cell histiocytosis, 377
- CAMERON, J. *see* WILSON, C.L.
- CARTWRIGHT, P.H. *see* WILKINSON, S.M.
- CATTERALL, M. *see* GREEN, C.
- CAUWENBERGH, G. *see* MATTHIEU, L.
- CERIO, R., GOLD, S. and WILSON JONES, E. White fibrous papulosis of the neck, 224
- CERIO, R. *see* MCGRATH, J.
- CHALMERS, R.J.G. *see* O'DRISCOLL, J.B.
- CHALMERS, R.J.G. *see* SHEHADE, S.A.
- CHANOKI, M. *see* YUTANI, Y.
- CHANOKI, Y. *see* YUTANI, Y.
- CHAPMAN, D.M. An experimental induction of the dysplastic-dystrophic anagen-hair-root condition, 273
- CHAUDHURI, A.K.R. *see* BILSLAND, D.
- CHEE-CHONG LIONEL LIM and TAH-CHEW TAN. Personality, disability and acne in college students, 371
- CHERRY, G. *see* WILSON, C.L.
- CHU, A.C. *see* MAYOU, S.C.
- CHU, A.C. *see* SHEEHAN, M.P.
- CHU-KWAN WONG *see* JEN-HONG YANG
- COLLET, E. *see* LAMBERT, D.
- COLLINS, P. and ROGERS, S. Bath-water delivery of 8-methoxypsoralen therapy for psoriasis, 165
- COLLINS, P., ROGERS, S., GOGGIN, M. and MANNING, W. Cryotherapy for lentigo maligna, 433
- COLVER, G.B. and BEVERIDGE, G.W. Familial acquired pigmented streaks in the nail, 158
- CONWAY, G.S. *see* BUNKER, C.B.
- CORI, P. *see* BETTI, R.
- CORRALL, R.J.M. *see* MCFADDEN, J.P.
- COTTERILL, J.A. *see* LAYTON, A.M.
- COX, N.H., BLOXHAM, C.A. and LAWRENCE, C.M. Halo eczema—resolution after excision of the central naevus alone, 66
- COX, N.H. and PATERSON, W.D. Osteochondroma of humerus in focal dermal hypoplasia (Goltz) syndrome, 283
- CROSTI, C. *see* BETTI, R.
- CUNLIFFE, W.J. *see* MACDONALD, S.
- CUNLIFFE, W.J. *see* NORRIS, J.F.B.
- CURLEY, R.K. and HOLDEN, C.A. Steroid-resistant bullous pemphigoid treated with cyclosporin A, 68
- CURLEY, R.K., HUDSON, P.M. and MARSDEN, R.A. Pachydermodactyly: a rare form of digital fibromatosis—report of four cases, 121
- DABSKI, K. and WINKELMANN, R.K. Destructive granuloma annulare of the skin and underlying soft tissues—report of two cases, 218
- DALAC, S. *see* LAMBERT, D.
- DALZIEL, K.L. Aspects of cutaneous ageing, 315
- DAS, R.N. *see* DUHRA, P.
- DAVIES, M.G. and HASTINGS, A. Sweet's syndrome progressing to pyoderma gangrenosum—a spectrum of neutrophilic skin disease in association with cryptogenic cirrhosis, 279
- DAWBBER, R.P.R. *see* DE BERKER, D.
- DE BERKER, D. and DAWBBER, R.P.R. Monilethrix treated with oral retinoids, 226
- DE DONCKER, P. *see* MATTHIEU, L.
- DE MORAGAS, J.M. *see* PUJOL, R.M.
- DEKIO, S., JIDOI, J. and IMAOKA, C. Lupus miliaris disseminatus faciei—report of a case in an elderly woman, 295
- DERVAN, P. *see* GUDMUNDSEN, K.
- DESAI, S.N. *see* YELL, J.A.
- DEZUTTER-DAMBUYANT, C. *see* CAMBAZARD, F.
- DOCKX, P. *see* MATTHIEU, L.
- DOUGLAS, W.S., BILSLAND, D.J. and HOWATSON, R. Acrokeratosis paraneoplastica of Bazex—a case in the UK, 297
- DOUGLAS, W.S. *see* BILSLAND, D.
- DOWD, P.M. *see* BUNKER, C.B.
- DOWD, P.M. *see* BUNKER, C.B.
- DU VIVIER, A.W.P. *see* HIGGINS, E.M.
- DU VIVIER, A.W.P., WILLIAMS, H.C., BRETT, J.V. and HIGGINS, E.M. How do malignant melanomas present and does this correlate with the seven-point check-list? 344
- DUHRA, P. and FOULDS, I.S. Basal-cell carcinoma complicating a port-wine stain, 63
- DUHRA, P., ILCHYSHYN A. and DAS, R.N. Bleomycin-induced flagellate erythema, 216
- DUHRA, P. and ILCHYSHYN, A. Prolonged survival in metastatic malignant melanoma associated with vitiligo, 303
- DURE-SMITH, B. *see* SLADDEN, M.J.
- EDWARDS, S., WOJNAROWSKA, F. and ARMSTRONG, L.M. Chronic bullous disease of childhood with oral mucosal scarring, 41
- EEDY, D.J. and BURROWS, D. Minocycline-induced pigmentation occurring in two sisters, 55
- EEDY, D.J. *see* TODD, D.J.
- ELGJO, E. *see* GABRIELSEN, T.Ø.
- ENGLISH, J.S.C. *see* WILKINSON, S.M.
- ESCALLIER, R. *see* LAMBERT, D.
- FAERGEMANN, J. *see* BERGBRANT, I.-M.
- FANTI, P.A., TOSTI, A. and POLERI, S. Changes in Kaposi's sarcoma induced by dapsone, 441

- FERNANDO, M.U. *see* SMITH, W.D.F.
 FINLAY, A.Y. *see* LONG, C.C.
 FLETCHER, A. *see* MILLIGAN, A.
 FLETCHER, C.M. *see* ASHERSON, R.A.
 FOUCHER, J.L. *see* LAMBERT, D.
 FOULDS, I.S. *see* DUHRA, P.
 FRANCIS, D.M. *see* OLIVER, F.
 FRIEDMANN, P.S. Graded continuity, or all or none—studies of the human immune response, 80
 FRY, J.R. *see* BIRKIN, J.A.
 FUKUDA, M., KONO, T., ISHII, M. and HAMADA, T. Detection of herpes simplex viral DNA in Kaposi's varicelliform eruption using *in situ* hybridization method, 407
- GAASBEEK, D. *see* MALI-GERRITS, M.G.H.
 GABRIELSEN, T.-Ø., ELGJO, K. and SOMMERSCHILD, H. Eccrine angiomatous hamartoma of the finger leading to amputation, 44
 GARCIA-PATOS, V. *see* PUJOL, R.M.
 GARIOCH, J.J., TODD, P., SOUKOP, M. and THOMSON, J. T-Cell lymphoma presenting with severe digital ischaemia, 202
 GAROICH, J. *see* TODD, P.
 GASPARINI, G. *see* VERALDI, S.
 GAZZOLA, G.B. *see* BETTI, R.
 GIANOTTI, R. *see* VERALDI, S.
 GILKES, J.J.H. *see* RUSHTON, D.H.
 GILLERY, P., MAQUART, F.-X., LE CORRE, Y., KALIS, B. and BOREL, J.-P. Variability of the retraction of collagen lattices by scleroderma fibroblasts—relationship to protein synthesis and clinical data, 324
 GLUKHENKY, B.T. *see* GRANDO, S.A.
 GOGGIN, M. *see* COLLINS, P.
 GOLD, S. *see* CERIO, R.
 GOODYEAR, H.M., ABRAHAMSON, E.L. and HARPER, J.I. Childhood pemphigus foliaceus, 229
 GRAHAM-BROWN, R.A.C. *see* BERTH-JONES, J.
 GRAHAM-BROWN, R.A.C. *see* HEALSMITH, M.F.
 GRAHAM-BROWN, R.A.C. *see* SLADDEN, M.J.
 GRANDO, S.A., TERMAN, A.K., STUPINA, A.S., GLUKHENKY, B.T. and ROMANENKO, A.B. Ultrastructural study of clinically uninvolved skin of patients with pemphigus vulgaris, 359
 GREAVES, M. *see* LAWLOR, F.
 GREAVES, M.W. *see* OLIVER, F.
 GREAVES, M.W. *see* BUNKER, C.B.
 GREEN, C., CATTERALL, M. and HAWK, J.L.M. Chronic actinic dermatitis and sunscreen allergy, 70
 GROVES, R.W., NEWTON, J.A. and HAY, R.J. Cutaneous *Mycobacterium kansasii* infection—treatment with erythromycin, 300
 GUDMUNDSEN, K., SMITH, O., DERVAN, P. and POWELL, F.C. Necrobiosis lipoidica and sarcoidosis, 287
- HAMADA, T. *see* FUKUDA, M.
 HAMADA, T. *see* YUTANI, Y.
 HARA, M. *see* TANAKA, M.
 HARPER, J.I. *see* GOODYEAR, H.M.
 HASTINGS, A. *see* DAVIES, M.G.
 HATABA, Y. *see* AOKI, K.
 HAWK, J.L.M. *see* GREEN, C.
 HAY, R.J. *see* GROVES, R.W.
 HEALSMITH, M.F., GRAHAM-BROWN, R.A.C. and BURNS, D.A. Erythromelalgia, 46
 HIGGINS, E.M. and DU VIVIER, A.W.P. Angina bullosa haemorrhagica—a possible relation to steroid inhalers, 244
 HIGGINS, E.M. *see* DU VIVIER, A.W.P.
 HISHIKAWA, Y. *see* AOKI, T.
 HOLDEN, C.A. *see* CURLEY, R.K.
 HOSOKAWA, M. *see* TANAKA, M.
 HOWATSON, R. *see* DOUGLAS, W.S.
 HUDSON, M. *see* BUAHENE, K.
 HUDSON, P.M. *see* CURLEY, R.K.
 HUGEL, H. *see* WINSHIP, I.M.
 HUGHES, B.R. *see* MACDONALD, S.
 HUGHES, B.R. *see* NORRIS, J.F.B.
 HUGHES, G.R.V. *see* ASHERSON, R.A.
 HUNT, D.M. *see* WATSON, J.A.S.
 HUTCHINSON, P.E. *see* BERTH-JONES, J.
 HUTCHINSON, P.E. *see* MILLIGAN, A.
- ILCHYSHYN, A. *see* DUHRA, P.
 IMAI, R., MIURA, J., TAKAMORI, K. and OGAWA, H. Increased HLA-DR⁺ T-lymphocyte population in peripheral blood of alopecia areata, 176
 IMAOKA, C. *see* DEKIO, S.
 ISHIBASHI, Y. *see* MORIOKA, N.
 ISHII, M. *see* FUKUDA, M.
 ISHII, M. *see* YUTANI, Y.
- JACOBS, H.S. *see* BUNKER, C.B.
 JACOBS, P. *see* LAWRENCE, P.
 JANSSEN, P.A.J. *see* MATTHIEU, L.
 JE GEUN CHI *see* KWANG HYUN CHO
 JEN-HONG YANG and CHU-KWAN WONG. Dyschromatosis universalis with X-linked ocular albinism, 436
 JIDOI, J. *see* DEKIO, S.
 JOHANSSON, S. *see* BERGBRANT, I.-M.
 JOHNSON, N.M. *see* BUNKER, C.B.
 JONES, R., WAYTE, D.M., MITCHELL, E. and BEER, W.E. Basal-cell carcinoma of the breast—treatment with retinoids, 447
 J. TENG-EE LIM and SIEW NE THAM. Pityriasis rubra pilaris in Singapore, 181
- KALIS, B. *see* GILLERY, P.
 KEEFE, M. and SMITH, G.E. Bowen's disease arising in a

- scare—a case report and review of the relationship between trauma and malignancy, 478
- KENWRIGHT, S. *see* ASHERSON, R.A.
- KERIMOVA, M. *see* ADJAROV, D.
- KOBZA BLACK, A. *see* LAWLOR, F.
- KOBZA BLACK, A. *see* OLIVER, F.
- KONO, T. *see* FUKUDA, M.
- KONO, T. *see* YUNTANI, Y.
- KORSTANJE, M.J., VAN DE STAAK, W.J.B.M. Long-term treatment of psoriasis with cyclosporin A—side-effects, minimal effective dose and cyclosporin blood level, 8
- KUSHIMOTO, H. *see* AOKI, T.
- KWANG, HYUN CHO, BANG SOON KIM, SEUNG HO CHANG, YOO SHIN LEE and KWANG JOONG KIM. Pigmented nail with atypical melanocytic hyperplasia, 451
- KWANG HYUN CHO, SEON HOON KIM, KYOUNG CHAN PARK, AI YOUNG LEE, KYE YONG SONG, JE GEUN CHI, YOO SHIN LEE and KYE JUNG KIM. Angioblastoma (Nakagawa)—is it the same as tufted angioma? 110
- KWANG JOONG KIM *see* KWANG HYUN CHO
- KYE JUNG KIM *see* KWANG HYUN CHO
- KYE YONG SONG *see* KWANG HYUN CHO
- KYOUNG CHAN PARK *see* KWANG HYUN CHO
- LAMBERT, D., COLLET, E., FOUCHER, J.L., ESCALLIER, R. and DALAC, S. Dermatitis herpetiformis associated with ulcerative colitis, 468
- LAWLOR, F., KOBZA BLACK, A. and GREAVES, M. Immediate-pressure urticaria—a distinct disorder, 155
- LAWRENCE, C.M. *see* COX, N.H.
- LAWRENCE, C.M. *see* McLELLAND, J.
- LAWRENCE, P., ARONSON, I., SAXE, N. and JACOBS, P. Leg ulcers in hereditary spherocytosis, 28
- LAYTON, A.M. and COTTERILL, J.A. Notalgia paraesthetica—report of three cases and their treatment, 197
- LE CORRE, Y. *see* GILLERY, P.
- LEACHE, A., SOTO DE DELÁS, J., VÁZQUEZ DOVAL, J., LOZANO, M.D. and QUINTANILLA, E. Squamous cell carcinoma arising from a lesion of disseminated superficial actinic porokeratosis, 460
- LEWIS JONES, M.S. *see* SMITH, W.D.F.
- LITTLE, S. *see* BUNKER, C.B.
- LODI, A. *see* BETTI, R.
- LONG, C.C. and FINLAY, A.Y. The finger-tip unit—a new practical measure, 444
- LÓPEZ REDONDO, M.J. *see* REQUENA, L.
- LOWE, J.S. *see* BIRKIN, J.A.
- LOZANO, M.D. *see* LEACHE, A.
- MACDONALD HULL, S., CUNLIFFE, W.J. and HUGHES, B.R. Treatment of the depressed and dysmorphic acne patient, 210
- MACDONALD, D.M. *see* MCGREGOR, J.M.
- MALI-GERRITS, M.G.H., GAASBEEK, D., BOEZEMAN, J. and VAN DE KERKHOF, P.C.M. Psoriasis therapy and the risk of skin cancers, 85
- MANNING, W. *see* COLLINS, P.
- MAQUART, F.-X. *see* GILLERY, P.
- MARKS, J.M. *see* McLELLAND, J.
- MARSDEN, R.A. *see* CURLEY, R.K.
- MATIAS-GUÍU, X. *see* PUJOL, R.M.
- MATTHIEU, L., DE DONCKER, P., CAUWENBERGH, G., WOESTENBORGH, R., VAN DE VELD, V., JANSSEN, P.A.J. and DOCKX, P. Itraconazole penetrates the nail via the nail matrix and the nail bed—an investigation in onychomycosis, 374
- MAURICE, P.D.L. *see* BUNKER, C.B.
- MAYO, P.R. *see* PRICE, M.L.
- MAYOU, S.C., CHU, A.C., MUNRO, D.D. and PLOWMAN, N. Langerhans-cell histiocytosis—excellent response to etoposide, 292
- McEVOY, M.T. *see* WINKELMANN, R.K.
- McFADDEN, J.P., CORRALL, R.J.M. and O'BRIEN, I.A.D. Autonomic and sensory nerve function in diabetic foot ulceration, 193
- MCGRATH, J. and BLACK, M. Split skin grafting and bullous pemphigoid, 72
- MCGRATH, J., CERIO, R. and WILSON-JONES, E. The phenotypic heterogeneity of bullous ichthyosis—a case report of three family members, 25
- MCGREGOR, J.M., BARKER, J.N.W.N. and MACDONALD, D.M. The development of excess numbers of melanocytic naevi in an immunosuppressed identical twin, 131
- McLAREN, K.M. *see* BIDDLESTONE, L.R.
- McLELLAND, J.M., YOUNG, S., MARKS, J.M. and LAWRENCE, C.M. Seasonally recurrent granuloma annulare of the elbows, 129
- McMILLAN, J.C. *see* TODD, D.J.
- MILLARD, L.G. *see* BIRKIN, J.A.
- MILLIGAN, A., FLETCHER, A., PORTER, D.I. and HUTCHINSON, P.E. Trichothiodystrophy, 264
- MISRA, R.S. *see* RAMESH, V.
- MITCHELL, E. *see* JONES, R.
- MIURA, J. *see* IMAI, R.
- MIYAZAWA, T. *see* TANAKA, M.
- MODI, D. and SCHULZ, E.J. Skin ulceration as sole manifestation of Langerhans-cell histiocytosis, 212
- MONK, C.J.E. *see* VERBOV, J.L.
- MORIOKA, N., TSUCHIDA, T., ISHIBASHI, Y. and OTSUKA, F. A case of neurofibrosarcoma associated with neurofibromatosis—ganglioside analysis, 467
- MORONI, G.A. *see* BETTI, R.
- MOTTAHEDIN, I. *see* PRICE, M.L.
- MOWAT, A. *see* BUAHENE, K.
- MUKHERJEE, A. *see* RAMESH, V.
- MUNRO, D.D. *see* MAYOU, S.C.

- MUSTAJOKI, P. *see* TIMONEN, K.
- NEWTON, J.A., RASBRIDGE, S., TEMPLE, A., POPE, F.M., BLACK, M.M. and MCKEE, R. Lipoid proteinosis—new immunopathological observations, 350
- NEWTON, J.A. *see* BUNKER, C.B.
- NEWTON, J.A. *see* GROVES, R.W.
- NIEMI, K.-M. *see* TIMONEN, K.
- NORRIS, J.F.B., HUGHES, B.R., BASEY, A.J. and CUNLIFFE, W.J. A comparison of the effectiveness of topical tetracycline, benzoyl-peroxide gel and oral oxytetracycline in the treatment of acne, 31
- NORRIS, M.J. *see* RUSHTON, D.H.
- O'BRIEN, I.A.D. *see* MCFADDEN, J.P.
- O'DRISCOLL, J.B., CHALMERS, R.J.G. and WARNES, T.W. Chylous reflux into abdominal skin simulating lymphangioma circumscriptum in a patient with primary intestinal lymphangiectasia, 124
- OBASI, O.E. Pyoderma gangrenosum and malignant pyoderma in Nigeria, 34
- OGAWA, H. *see* IMAI, R.
- OIKARINEN, A. and AUTIO, P. New aspects of the mechanism of corticosteroid-induced dermal atrophy, 416
- OLIVER, F., AMON, E.U., BREATHNACH, A., FRANCIS, D.M., SARATHCHANDRA, P., KOBZA BLACK, A. and GREAVES, M.W. Contact urticaria due to the common stinging nettle (*Urtica dioica*)—histological, ultrastructural and pharmacological studies, 1
- ORMEROD, A.D. *see* BUAHENE, K.
- OTSUKA, F. *see* MORIOKA, N.
- PABISCH, S. *see* VERALDI, S.
- PAPARELLI, S. *see* BETTI, R.
- PATERSON, W.D. *see* COX, N.H.
- PIÉRARD, G.E., RURANGIRWA, A. and PIÉRARD-FRANCHIMONT, C. Bioavailability of fluconazole and ketconazole in human stratum corneum and oral mucosa, 168
- PIÉRARD-FRANCHIMONT, C. *see* PIÉRARD, G.E.
- PILERI, S. *see* FANTI, P.A.
- FLOWMAN, N. *see* MAYOU, S.C.
- POPE, F.M. *see* NEWTON, J.A.
- PORTER, D.I. *see* MILLIGAN, A.
- PORTER, S.R. and SCULLY, C. Aphthous stomatitis—an overview of aetiopathogenesis and management, 235
- POWELL, F.C. *see* GUDMUNDSEN, K.
- POWELL, S.M. *see* WILSON, C.L.
- PRESCOTT, R.J. *see* SHEHADE, S.A.
- PRICE, M.L., MOTTAHEDIN, I. and MAYO, P.R. Can psychotherapy help patients with psoriasis? 114
- PUJOL, R.M. MATIAS-GUÍU, X., GARCÍA-PATOS, V. and DE MORAGAS, J.M. Tufted-hair folliculitis, 199
- QUINTANILLA, E. *see* LEACHE, A.
- RADEMAKER, M. *see* TODD, P.
- RAMESH V., MISRA, R.S., SAXENA, U. and MUKHERJEE, A. Comparative efficacy of drug regimens in skin tuberculosis, 106
- RAMSAY, I.D. *see* RUSHTON, D.H.
- RASBRIDGE, S. *see* NEWTON, J.A.
- REQUENA, L., SCHOENDORFF, C. and SÁNCHEZ YUS, E. Hereditary epidermolytic palmo-planter keratoderma (Vörner type)—report of a family and review of the literature, 383
- REQUENA, L., SÁNCHEZ, M., SCHOENDORFF, C., LÓPEZ REDONDO, M.J. and SÁNCHEZ YUS, E. An unusual benign neural tumour with stellate-cell morphology, 428
- ROBBINS, D. *see* BERGBRANT, I.-M.
- ROBERTS, D.L. *see* BLACKFORD, S.
- ROGERS, S. *see* COLLINS, P.
- ROMANENKO, A.B. *see* GRANDO, S.A.
- ROSTI, A. *see* BETTI, R.
- RURANGIRWA, A. *see* PIÉRARD, G.E.
- RUSHTON, D.H., RAMSAY, I.D., NORRIS, M.J. and GILKES, J.J.H. Natural progression of male pattern baldness in young men, 188
- RUSSELL JONES, R. *see* BURROWS, N.P.
- RYAN, T.J. *see* WILSON, C.L.
- SÁNCHEZ, M. *see* REQUENA, L.
- SÁNCHEZ YUS, E. *see* REQUENA, L.
- SANTANA, J. *see* VELASCO, J.A.
- SANTOS, J.C. *see* VELASCO, J.A.
- SARATHCHANDRA, P. *see* OLIVER, F.
- SAVIN, J.A., *see* AOKI, T.
- SAXE, N. *see* LAWRENCE, P.
- SAXE, N.P. *see* WINSHIP, I.M.
- SAXENA, U. *see* RAMESH, V.
- SCHEYNIUS, A. *see* BERGBRANT, I.-M.
- SCHMITT, D. *see* CAMBAZARD, F.
- SCHOENDORFF, C. *see* REQUENA, L.
- SCHOENDORFF, C. *see* REQUENA, L.
- SCHOMBERG, K. *see* BURGE, S.
- SCHULZ, E.J. *see* MODI, D.
- SCULLY, C. *see* PORTER, S.R.
- SEON HOON KIM *see* KWANG HYUN CHO
- SERUP, J. Formation of oiliness and sebum output—comparison of a lipid-absorbant and occlusive-tape method with photometry, 258
- SEUNG HO CHANG *see* KWANG HYUN CHO
- SEYRIGHT, M. *see* TODD, P.
- SHAHRIARI, S. *see* BILSLAND, D.
- SHEEHAN, M.P. and CHU, A.C. Oral skin and bone multisystem Langerhans cell histiocytosis and its response to etoposide—a case report, 463
- SHEHADE, S.A., CHALMERS, R.J.G. and PRESCOTT, R.J.

- Predictable and unpredictable hazards of erythropoietic protoporphyria, 185
- SHIMAZU, A. *see* YUTANI, Y.
- SIEW NEE THAM *see* J. TENG-EE LIM
- SLADDEN, M.J., DURE-SMITH, B., BERTH-JONES, J. and GRAHAM-BROWN, R.A.C. Ethnic differences in the pattern of skin disease seen in a dermatology department—atopic dermatitis is more common among Asian referrals in Leicestershire, 348
- SMART, L. *see* BUAHENE, K.
- SMITH, W.D.F., LEWIS JONES, M.S., STEWART, T.W. and FERNANDO, M.U. Bullous pemphigoid occurring in psoriatic plaques in association with Hashimoto's thyroiditis, 389
- SMITH, A.G. *see* WILKINSON, S.M.
- SMITH, N.P. *see* WATSON, J.A.S.
- SMITH, O. *see* GUDMUNDSEN, K.
- SÖDERSTRÖM, T. *see* BERGBRANT, I.-M.
- SOMMERSCHILD, H. *see* GABRIELSEN, T.-O.
- SOTO DE DELAS, J. *see* LEACHE, A.
- SOUKOP, M. *see* GARIOCH, J.J.
- SMITH, G.D. *see* KEEFE, M.
- STAQUET, M.J. *see* CAMBAZARD, F.
- STEWART, T.W. *see* SMITH, W.D.F.
- STUPINA, A.S. *see* GRANDO, S.A.
- TAGAMI, H. *see* TANAKA, M.
- TAH-CHEW TAN *see* CHEE-CHONG LIONEL LIM
- TAKAMORI, K. *see* IMAI, R.
- TAN, C.Y. *see* WILKINSON, S.M.
- TANAKA, M., HARA, M., HOSOKAWA, M., MIYAZAWA, T. and TAGAMI, H. Linear cutaneous neurilemmomas on the forehead, 247
- TEMPLE, A. *see* NEWTON, J.A.
- J. TENG-EE LIM and SIEW NEE THAM. Pityriasis rubra pilaris in Singapore, 181
- TERMAN, A.K. *see* GRANDO, S.A.
- THIVOLET, J. *see* CAMBAZARD, F.
- THOMSON, J. *see* GARIOCH, J.J.
- THOMSON, J. *see* TODD, P.
- TIDMAN, M.J. *see* BIDDLESTONE, L.R.
- TIMONEN, K., NIEMI, K.-M. and MUSTAJOKI, P. Skin morphology in porphyria cutanea tarda does not improve despite clinical remission, 355
- TODD, D.J., EEDY, D.J. and McMILLAN, J.C. Acromegaly and psoriasis, 222
- TODD, P. *see* GARIOCH, J.J.
- TODD, P., GARIOCH, J., SEYWRIGHT, M., RADEMAKER, M. and THOMSON, J. Malignant melanoma and systemic mastocytosis—a possible association, 455
- TODD, W.T.A. *see* BILSLAND, D.
- TOSTI, A. *see* FANTI, P.A.
- TSUCHIDA, T. *see* MORIOKA, N.
- VAN DE KERKHOF, P.C.M. *see* MALI-GERRITS, M.G.H.
- VAN DE STAACK, W.J.B.M. *see* KORSTANJE, M.J.
- VAN DE VELD, V. *see* MATTHIEU, L.
- VÁZQUEZ DOVAL, J. *see* LEACHE, A.
- VELASCO, J.A., SÁNTOS, J.C., BRAVO, J. and SANTANA, J. Ulceronecrotic lesions in a patient with essential thrombocythaemia, 53
- VERALDI, S., GIANOTTI, R., PABISCH, S. and GASPARINI, G. Pigmented apocrine hidrocystoma—a report of two cases and review of the literature, 18
- VERBOV, J.L. and MONK, C.J.E. Talar callosity—a little-recognized common entity, 118
- WALKER, M.M. *see* WATSON, J.A.S.
- WALSHE, M. *see* YELL, J.A.
- WALSHE, M.M. *see* ANSTEY, A.
- WARNES, T.W. *see* O'DRISCOLL, J.B.
- WATSON, J.A.S., WALKER, M.M., SMITH, N.P. and HUNT, D.M. Malignant chondroid syringoma—a rare cause of secondary bone tumour, 306
- WAYTE, D.M. *see* JONES, R.
- WEYERS, W. and ALLES, J.U. Immunocytochemistry of eruptive haemangiomas (pyogenic granulomas), 411
- WHITE, M.I. and BROWN, T. A papular eruption and acute abdominal pain associated with coxsackie A-14 virus, 127
- WILKINSON, J.D. *see* ANSTEY, A.
- WILKINSON, S.M., CARTWRIGHT, P.H. and ENGLISH, J.S.C. Porokeratosis of Mibelli and immunosuppression, 61
- WILKINSON, S.M., TAN, C.Y. and SMITH, A.G. Keratoacanthoma arising within organoid naevi, 58
- WILLIAMS, H.C. *see* DU VIVIER, A.W.P.
- WILSON JONES, E. *see* CERIO, R.
- WILSON, C.L., CAMERON, J., POWELL, S.M., CHERRY, G. and RYAN, T.J. High incidence of contact dermatitis in leg-ulcer patients—implications for management, 250
- WILSON-JONES, E. *see* McGRATH, J.
- WINKELMANN, R.K. and McEVoy, M.T. Diffuse-plane normolipaeic xanthoma with aortic-valve xanthoma, 38
- WINKELMANN, R.K. *see* DABSKI, K.
- WINSHIP, I.M., SAXE, N.P. and HUGEL, H. Primary oxalosis an unusual cause of livedo reticularis, 367
- WOESTENBORGH, R. *see* MATTHIEU, L.
- WOJNAROWSKA, F.T. *see* ABOOBAKER, J.
- WOJNAROWSKA, F. *see* BURGE, S.
- WOJNAROWSKA, F. *see* EDWARDS, S.
- YATES, V.M. Harvest mites—a present from the Lake District, 277
- YELL, J.A., WALSHE, M. and DESAI, S.N. Incontinentia pigmenti associated with bilateral cleft lip and palate, 49

YOO SHIN LEE *see* KWANG HYUN CHO

YOUNG, S. *see* McLELLAND, J.M.

YUTANI, Y., KONO, T., ISHII, M., CHANOKI, M., CHA-

NOKI, Y., ASADA, K., SHIMAZU, A. and HAMADA, T.
Alteration of cartilagenous proteoglycan in psoriasis, 22

